

CapturejayHX

TV compliance logging & multichannel ingest

➤ CapturejayHX Starter

- Multiformat capture engine supports realtime encoding of ingested video in a wide choice of audio/video formats, saving time compared to offline transcoding.
- Broadcast-grade integrated codecs support for H.264/AVC, H.265/HEVC, MPEG-2, M-JPEG, MPEG-4, DV, DVCPRO HD, ProRes 422, P2, VC-3 (aka DNxHD), JPEG2000, VP8, PCM, MP3, AAC
- File formats: MXF (including AVC-Intra 50 and 100), GXF, MP4, MOV (including AVC-Intra 50 and 100), XDCAM – MPEG IMX, MKV, AVI, WebM, MPEG-2 (PS and TS)
- Realtime streaming to UDP, RTMP, RTSP, Adobe FMLE, IIS Live Smooth Streaming, WMV.
- Multichannel audio monitoring
- Internet time synchronizer
- Password protected setup
- Recording settings are freely user-defined depending on available Hard Disk space and required quality.
Supports full range of Blackmagic and Bluefish444, Deltacast, Stream Labs, Dektec, AJA, and any WDM compatible capture card.

Includes:

- capturejayHX Player Basic – the player runs on the same recording workstation and/or one or more workstations in the LAN, without any added cost
- Online activation (cloud licence)

- In 1, 2, 3, 4 upto 8 channel configurations.

CapturejayHX

TV compliance logging & multichannel ingest

➤ capturejayHX retail package

capturejayHX retail package includes:

- licence on USB dongle: just plug the dongle and skip the online activation procedure
- Installation DVD with software setup, demos and utilities.
- Shipping included to your favourite address (added fees might apply for specific countries)



requires: capturejayHX Starter

➤ CapturejayHX HD Ingest

The capturejayHX HD Ingest enables video input and capture in HD video formats 16:9 - 1280x720 and 1920x1080

- Per channel license configuration

requires: capturejayHX Starter

CapturejayHX

TV compliance logging & multichannel ingest

➤ capturejayHX Pro Pack

This option adds all the required features to use capturejayHX as:

- compliance logging application
 - scheduled ingest by day/time or external triggering
 - plus a bunch of more options.
 - Multiple still frame capture
 - Daily recording time-range
 - Recording time limit and automatic file splitting
 - File purge feature automatically removes older recordings to make space for the new ones
 - Realtime timestamp overlay on logged video
 - Overlay of user-defined graphic logo on logged video
 - Recording from URL (Internet streaming)
 - Recording scheduling by day/time and external triggering
 - Driving of video matrix switchers via RS232 to switch external feeds (for example, satellite receivers).
- Per channel license configuration

requires: capturejayHX Starter